



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>7</sup> :  C12N	A2	(11) International Publication Number: WO 00/09652  (43) International Publication Date: 24 February 2000 (24.02.00)
<p>(21) International Application Number: PCT/IB99/01416</p> <p>(22) International Filing Date: 11 August 1999 (11.08.99)</p> <p>(30) Priority Data:  60/097,552 13 August 1998 (13.08.98) US  09/372,176 11 August 1999 (11.08.99) US</p> <p>(71) Applicant (for all designated States except US): SOL-GEL TECHNOLOGIES LTD. [IL/IL]; Beit Hillel 5, 67017 Tel Aviv (IL).</p> <p>(72) Inventors; and</p> <p>(75) Inventors/Applicants (for US only): MAGDASSI, Shlomo [IL/IL]; Hanerd 36, 96626 Jerusalem (IL). AVNIR, David [IL/IL]; Novomieski 2, 96908 Jerusalem (IL). SERI-LEVY, Alon [IL/IL]; Paldi 6/11, 76248 Rehovot (IL). LAPIDOT, Noa [IL/IL]; Hakramim 4, Mevasseret, 90805 Zion (IL). ROTTMAN, Claudio [IL/IL]; Netiv Hamazalot 41/5, 97830 Jerusalem (IL). SOREK, Yoram [IL/IL]; Kodshei Mitstraim 3/18, 56282 Yahud (IL). GANS, Orit [IL/IL]; Elkana, M.P., 44814 Efraim (IL).</p> <p>(74) Agent: NOAM, Meir; P.O. Box 34335, 91342 Jerusalem (IL).</p>		<p>(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p><b>Published</b>  Without international search report and to be republished upon receipt of that report.</p>
<p>(54) Title: METHOD FOR THE PREPARATION OF OXIDE MICROCAPSULES LOADED WITH FUNCTIONAL MOLECULES AND THE PRODUCTS OBTAINED THEREOF</p> <p>(57) Abstract</p> <p>The present invention relates to a novel process for preparing sol-gel microcapsules loaded with up to 95 % (w/w) functional molecules or substances and to the products obtained by said process. Said process is conducted in two steps: (a) creating an oil-in-water emulsion by emulsification of a water insoluble solution comprising the sol-gel precursors and the molecules to be loaded, in an aqueous solution under appropriate shear forces; (b) mixing and stirring said emulsion with an aqueous solution at a suitably selected pH to obtain loaded sol-gel microcapsules in suspension. The microcapsules so obtained can further be subjected to cycles of isolation and rinsing. Incorporation of the final product, either in the form of a suspension or a powder, in cosmetic formulations affords a transparent cream when applying to skin and has a smooth and pleasant contact.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## METHOD FOR THE PREPARATION OF OXIDE MICROCAPSULES LOADED WITH FUNCTIONAL MOLECULES AND THE PRODUCTS OBTAINED THEREOF

### FIELD OF THE INVENTION

The present invention generally relates to a method for isolating functional molecules or substances in inert matrices. More specifically the present invention relates to a method for the preparation of 0.01 -100 $\mu$  sol-gel microcapsules loaded with up to 95% functional molecules or substances which can be dissolved in sol-gel precursors wherein the sol-gel precursors can be a metal or a semi-metal alkoxide monomer, or a partially hydrolyzed and partially condensed polymer thereof, or a mixture of any of the above. The present invention also relates to the products obtained by this process. The particle size of the final product can be controlled to the range 0.01 - 100 $\mu$ , more preferably 0.1 - 10 $\mu$ . Under appropriate choice of the reaction conditions said product is in the form of an aqueous suspension of up to 60% solids, consisting of sphere particles of 0.1-10  $\mu$  or in the form of fine powder with a smooth and pleasant texture consisting of sphere particles of 0.1-10  $\mu$ .

### BACKGROUND OF THE INVENTION

The present invention generally relates to a method for preparing sol-gel particles that encase or encapsulate or entrap (hereinafter called loading) functional molecules or substances. The term "functional molecules or substances" in the present invention relates to any molecules or substances that can be used in agriculture and industry.

Isolating functional molecules or substances in inert matrices has many useful benefits and applications where chemical contact between the functional molecules and the immediate environment should be minimized. For example, make-up compositions, such as make-up colors are currently using a very limited number of approved natural pigments and even fewer artificial organic

colors. Many dyes and pigments with desired color shades of natural or synthetic origin are not approved for skin contact because their safety for direct skin contact has not been demonstrated. Isolating the colorants in transparent and inert isolating material provides a way to prevent the direct contact between the color molecules and the skin, while retaining (or even enhancing) the color intensity. Another very important application is in sunscreen compositions. The active ingredients in sunscreens have been reported to cause contact dermatitis and may cause photocontact dermatitis. Moreover, the light-excited species of these reagents may undergo photodecomposition reactions resulting in the production of free radicals and reactive oxygen species, which may bear deleterious effects on live tissues. Thus, encapsulating sunscreen active ingredients in a transparent matrix like silica offers a sophisticated way to benefit from the light-absorbing capability of sunscreens, while substantially isolating them and/or their possible photodecomposition products from the live tissues. Another example, from a totally different field, is the encapsulating of food colors either for prolonging the shelf life of food products containing unstable natural colors such as lycopene and carotene or for isolating artificial food colors that have undesirable side effects. Encapsulating food colors of the second type in inert transparent microcapsules provides a way to prevent the digestion of these colorants while maintaining their desired color effect.

Recognizing that metal and semi metal alkoxide monomers (and their partially hydrolyzed and condensed polymers) such as tetramethoxy silane (TMOS), tetraethoxy silane (TEOS), methyl tetraethoxy silane (MeTEOS) *etc.* are very good solvents for numerous molecules and substances facilitated the development of this method, which utilizes this solubility to load the dissolved molecules or substances in the hydrolysis-condensation polymer of the monomer solvent. Nonetheless, the present invention may also be used to coat or load particles or substances which can be suspended in the sol-gel precursors.

The current invention reveals how to obtain sol-gel materials containing high loading of active ingredients, up to 95 % (w/w). Such high loading is required, for example, in order to obtain high Sun Protection Factor (SPF) values. It also facilitates the entrapment or encapsulation of many other molecules or substances, where the application may demand high loading of the entrapped molecule or substance.

The loaded molecules or substances can be any molecules or substances that are soluble or that can be suspended in the metal or semi-metal alkoxides of choice. Examples for such molecules or substances are: ultra-violet absorbing molecules or reflecting substances used in sunscreens, fragrances, perfume, colors and dyes, food colors and food additives, antioxidants, humidifiers, vitamins, explosives, insecticides, herbicides and fungicides, or biological molecules such as enzymes or antibodies, as well as various drugs, catalysts and reagents.

The current invention further teaches how to obtain controlled physical form of the product. In a preferred embodiment, it teaches how to obtain capsules and microcapsules of sol-gel derived material, containing the loaded molecule or substance, with a smooth and pleasant contact.

The product by process may accordingly vary for human or non-human applications, as the obtained aqueous suspension and the obtained dry powder may be easily incorporated in various carriers, such as creams and lotions, processed food, sprays, paints, lacquers, coatings, plastics and detergents.

#### SUMMARY OF THE INVENTION

The present invention relates to a novel process for preparing sol-gel particles loaded with up to 95% (w/w) functional molecules and to the products obtained by said process. Said process is conducted in two steps: (a) creating an oil-in-water emulsion by emulsification of a water insoluble solution comprising the sol-gel precursors and the molecules to be loaded, in an aqueous solution under appropriate shear forces; (b) mixing and stirring the

said emulsion with an aqueous solution at a suitably selected pH to obtain loaded sol-gel particles of 0.01 - 100 $\mu$ . (In the present invention the term "mixing" also relates to dropwise addition of one solution to the other, by pouring one solution to the other, or any other method of combining the two solutions together).

After an appropriate reaction time, during which the mixture may be heated or cooled, subject to vacuum, changes in pH and optionally an aging period, the resulting particles may be isolated and rinsed through cycles of centrifuge or filtration and re-suspension in deionized water or by any other means known in the art..

The water insoluble solution (of step a) and the aqueous solutions (of steps a and b and in the optional further rinses) may contain various surfactants and any other additives for improving the process and/or the product.

By selecting the appropriate reaction conditions, the particle size of the final product can be controlled to be in the range from 0.01 to 100  $\mu$  and the leaching degree of the loaded molecule into cosmetic oils or into the surfactant-containing aqueous solution can be minimized.

The sol-gel precursors can be a metal or a semi-metal alkoxide monomers, or a partially hydrolyzed and partially condensed polymer thereof, or a mixture thereof. The functional molecules and substances can be any molecules and substances that can be used in agriculture and industry.

In a preferred embodiment of the present invention, under appropriate choice of the reaction conditions, said product is in the form of a suspension containing about 1 to 60% solids consisting of sphere particles of 0.1-10 $\mu$ .

Said suspension may be stabilized with the aid of suitable additives such as non-ionic, cationic or anionic polymers, or any other suspension aid known to the skilled artisan in this field. This suspension shows extremely low leaching of the encapsulated material into surfactants solution in water, or into cosmetic oils. Incorporation of this aqueous suspension in a cosmetic formulation

affords a transparent cream when applying to skin and has a smooth and pleasant contact.

In another preferred embodiment of the present invention, under appropriate choice of the reaction conditions said product is in the form of a fine powder with a smooth and pleasant texture consisting of sphere particles of 0.1-10 $\mu$ . Dispersion of this powder in a cosmetic formulation affords a transparent cream when applying to skin and has a smooth and pleasant contact.

#### DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to a process for the preparation of sol-gel microcapsules of 0.01 - 100 $\mu$ , loaded with functional molecules or substances.

The process is based on the preparation of an oil-in-water emulsion of the hydrophobic solution that comprises the sol-gel precursors and the molecules or substances to be loaded, in aqueous solution and then mixing said emulsion with another aqueous solution to accelerate the condensation-polymerization reaction.

The polymerization progresses through condensation-polymerization of at least one monomer selected from metal alkoxides, semi-metal alkoxides, metal esters, semi-metal esters and from monomers of the formula  $M(R)_n(P)_m$ , wherein M is a metallic or semi metallic element, R is a hydrolyzable substituent, n is an integer from 2 to 6, P is a non polymerizable substituent and m is an integer from 0 to 6.

In a preferred embodiment of this invention, the sol-gel precursors are silicon alkoxide monomers, or silicon ester monomers, or monomers of the formula  $Si(R)_n(P)_m$ , where R is a hydrolyzable substituent, n is an integer from 2 to 4, P is a non polymerizable substituent and m is an integer from 0 to 4, or partially hydrolyzed and partially condensed polymer thereof, or any mixture thereof.

In another preferred embodiment of the present invention, the sol-gel precursors are titanium alkoxide monomers, or titanium ester monomers, or

monomers of the formula  $Ti(R)_n(P)_m$ , where R is a hydrolyzable substituent, n is an integer from 2 to 6, P is a non polymerizable substituent and m is an integer from 0 to 6, or partially hydrolyzed and partially condensed polymer thereof, or any mixture thereof.

In another preferred embodiment of the present invention, the sol-gel precursors are zinc or zirconium alkoxide monomers, or zinc or zirconium ester monomers, or monomers of the formula  $Zn(R)_n(P)_m$  or  $Zr(R)_n(P)_m$ , where R is a hydrolyzable substituent, n is an integer from 2 to 6, P is a non polymerizable substituent and m is an integer from 0 to 6, or partially hydrolyzed and partially condensed polymer thereof, or any mixture thereof.

In yet another preferred embodiment of this invention, several sol-gel precursor are used together in a mixture, including mixtures of several metals or semi metal compounds, to afford a sol-gel material which is a composite containing different metal and/or semi metal elements in the final product.

The loaded molecules or substances may be any molecules or substances that are soluble or that can be suspended in the metal or in the semi metal alkoxides of choice. Examples for molecules or substances that can be loaded include sunscreens, fragrances, perfume, colors and dyes, food colors and food additives, antioxidants, humidifiers, vitamins, explosives, insecticides, herbicides and fungicides, or biological molecules such as enzymes or antibodies, as well as various drugs, catalysts and reagents. The product by process may accordingly vary for human or non-human applications, as the obtained powder may be easily incorporated in various carriers, e.g. creams and lotions, processed food, sprays, paints, lacquers, coatings, plastics, detergents etc.

Said process is conducted by the following steps:

- (a) A solution consisting of the water insoluble metal alkoxides with or without a co-solvent and/or surfactant and the molecules to be entrapped is emulsified in an aqueous solution, that may contain various surfactants, i.e. cationic, anionic or non-ionic surfactants, which are utilized to assist in



stabilizing the emulsions. This emulsion is created under appropriate shear forces, utilizing an apparatus such as a homogenizer, a high pressure homogenizer or a sonicator. The oil phase of the emulsion may optionally contain additives for improving the process and/or for obtaining an improved product. Examples for such additives are viscosity modifying reagents (i.e., thickeners), acids or bases that dissolve in the sol-gel precursor of choice and assist in catalyzing the hydrolysis-condensation polymerization reaction, surfactants and others.

(b) The emulsion obtained by step (a) is mixed with an aqueous solution at a suitably selected pH (basic, neutral or acidic), which may also contain additional surfactants. The aqueous solution may also contain additives for improving the process and/or for obtaining an improved product such as glass water. The reaction mixture may be heated or cooled, subject to vacuum, or pressure, or kept under inert gas atmosphere, subject to changes in pH and with an optional further aging period.

The resulting particles can be isolated and rinsed through cycles of centrifuge or filtration and re-suspension in deionized water or by dialysis or by any other technique known in the art..

The final product may be used in a dispersion form, after re-suspension in water with optional addition of suitable additives such as non-ionic, cationic or anionic polymers, or any other suspension aid known to the skilled artisan in this field. This dispersion shows extremely low leaching of the encapsulated material into surfactants solution in water, or into cosmetic oils.

The final product may also be used in a powder form, after removal of the water by appropriate means (drying, lyophilization, etc.) with optional addition of reconstitution additives such as non-ionic, cationic or anionic surfactants or polymers.

The loading of the loaded molecules or substances in the oxide carrier may be from zero up to 95% weight of the solid. The loading of the loaded molecules

or substances in the final aqueous dispersion may be up to 50% wt/wt of the aqueous suspension.

The particle size of the final product can be controlled to the range 0.01 - 100 $\mu$ , more preferably 0.1 - 10 $\mu$ . The particles obtained by the present process can sustain high shear forces such as those present in a homogeizer or a sonicator without change in their encapsulation properties or in particle size distribution. The particles can also sustain increased temperatures up to 80°C for 2 hours, without any such change.

The product by process may be designed to hold and/or isolate the entrapped molecules within the sol-gel matrix, or to act as a matrix for controlled or sustained release of the loaded molecules.

## EXAMPLES

The following examples clarify and demonstrate the present invention. They are not under any circumstances exclusive and do not intend to limit the scope of the present invention..

### Background to examples 1- 7

As was mentioned in the background, the case of encapsulated sunscreen reagents is of a special importance. Sunscreen products are widely used all over the world by all ages and gender, however, not only that the active ingredients in these products may cause contact dermatitis, but also the light-excited species of these reagents may cause photocontact dermatitis. Thus, encapsulating sunscreen active ingredients in a transparent matrix like silica offers a sophisticated way to benefit from the light-absorbing capability of sunscreens, while substantially isolating them and/or their possible photodecomposition products from the live tissues.

EXAMPLE 1 - octylmethoxy cinnamate (OMC) in TEOS (tetraethoxy silane).

Octylmethoxy cinnamate (OMC), a widely used sunscreen has been encapsulated in a silica matrix by the following procedure:

11g OMC was dissolved in 33g TEOS. The organic phase was emulsified in 200g of aqueous solution containing 1% cetyltrimethyl ammonium chloride (CTAC) under high shear forces using an Ultra-Turrax T-25 basic with S 25 KR-18G dispersing tool (IKA) at 19,000 rpm. The vessel walls were cooled by immersion in an ice-water bath during the homogenizing process. This emulsion was then poured into an IKA LR-A 1000 Laboratory reactor, equipped with Eurostar Power control-visc P4 stirrer, containing 200g NaOH aqueous solution at pH 11.3. The solution is stirred at 400 rpm while the emulsion is added, then the stirring rate lowered to 200 rpm. The emulsion is stirred at room temperature for 24 hours, followed by stirring at 50°C for 3 hours. The obtained powder is washed with deionized water and freeze dried.

The product of this process consists of 68% (w/w) OMC, encapsulated in silica spheres of 0.5 to 3.5 micron.

Formulation of this powder in Formula A (Table 1) affords a transparent cream when applying to skin and has a smooth and pleasant contact, with an in-vitro SPF value of 13.3.

EXAMPLE 2 - benzophenone-3 (BP) and OMC in TEOS

3g benzophenone-3, an UV-B as well as UV-A sunscreen agent, was dissolved in 8g OMC. The obtained mixture was dissolved in 33g TEOS and the organic phase was emulsified under high shear forces (same as described in Example 1) in 200g aqueous solution containing 1% ethoxylated sorbitan monooleate (Tween-80, ICI). The obtained emulsion was then poured into the reactor (same as above) containing 200g of 0.1 triethanolamine and 4M NaOH (pH 11.4). The emulsion is stirred at room temperature for 24 hours, followed by

stirring at 50°C for 3 hours. The obtained powder is washed with water and freeze dried to give a fine silica powder with a slight yellow color.

The spectrum of this product when suspended a neutral cosmetic cream (w/o lotion, a commercial source) affords a cream with a broad absorption in the UV, as expected from a mixture of the two sunscreens used. The cream looks transparent when applied on the skin.

#### EXAMPLE 3- BP and OMC in TEOS

2.5g BP was dissolved in 14g OMC. The obtained mixture was dissolved in TEOS and the organic phase was treated in a similar manner to that described in Example 1. Nitrogen gas was bubbled through the solution during the reaction course. The obtained powder was washed with water and freeze dried to give a fine silica powder. The product of this process consists of 55% (w/w) OMC and 10% (w/w) BP, encapsulated in silica spheres of 0.5 to 3  $\mu$ .

Formulation of this powder in Formula B (Table 1) affords a transparent cream when applying to skin and has a smooth and pleasant contact, with an in vitro SPF value of 28.2, with a UVA factor of 5.7.

#### EXAMPLE 4- butylmethoxydibenzoyl methane (BMDBM) in homomenthyl salicylate (HMS)

3.3g BMDBM, a UVA sunscreen agent, was dissolved in 13.2g HMS, a UVB absorber. The obtained mixture was dissolved in TEOS and the organic phase was treated in a similar manner to that described above. The reaction mixture was allowed to stand for another 48h before isolating the product. The product was precipitated with a centrifuge and rinsed by re-suspension in deionized water. The final product was suspended in a 1% polyvinyl pyrrolidone (PVP K30, ISP) to afford a stable dispersion containing 10.5% BMDBM and 20.7% HMS. The particle size was 1-5  $\mu$ .

Formulation of this powder in Formula C (Table 1) affords a transparent cream when applying to skin and has a smooth and pleasant contact, with an in vitro SPF value of 5.9, with a UVA factor of 5.0.

#### EXAMPLE 5- OMC in poly(diethoxysiloxane)

2.75g OMC was dissolved in 8.25g poly(diethoxysiloxane) (ABCR PSI-021 or PSI-023). The organic phase was treated in a similar manner to that described in example 1. The obtained powder is washed with water and freeze dried to give a fine silica powder. The product of this process using PSI-021 consists of 25% (w/w) OMC encapsulated in silica spheres of 0.5 to 5  $\mu$ . The product of this process using PSI-023 consists of 35% (w/w) OMC encapsulated in silica spheres of 0.5 to 10  $\mu$ .

#### EXAMPLE 6- OMC in methyltriethoxysilane

1.1g OMC was dissolved in 9.9g methyltriethoxysilane. A similar procedure is described in Example 5 was followed. The obtained powder was washed with water and freeze dried to give a fine silica powder.

#### EXAMPLE 7- OMC in TEOS

OMC/silica particles were prepared in a similar manner to that described in example 1. The final product was suspended in a 1% polyvinyl pyrrolidone (PVP K30, ISP) to afford a stable dispersion containing 34% OMC in the suspension.

Leaching-out test: In order to test the encapsulating properties of the silica particles a leaching-out test was developed. It was found that vigorous shaking of the suspension in 3% polyoxyethylene (20) sorbitan monostearate (Tween 60) solution in water at room temperature, followed by filtration of the silica

particles (0.2  $\mu$  cut off filter), and spectral analysis of the free OMC in the solution, gives a linear response at the range 0.1-0.5% (w/w) OMC in the surfactant solution. This surfactant is commonly used in cosmetic formulations. The ability of this solution to solubilize OMC in water was confirmed by testing this procedure on free OMC. The leaching-out rate measured as described here for the silica suspension was less than 1%.

No significant change in the leaching rate under the same conditions is observed after homogenization of the suspension with an Ultra-Turrax T-25 basic with S 25 KR-18G dispersing tool (IKA) at 11,000 rpm for 5 minutes.

The following examples clarify and demonstrate the invention in applications other than sunscreen active ingredients.

#### EXAMPLE 8 $\beta$ - Carotene in TEOS

$\beta$ -Carotene, a widely used natural food colorant, has been encapsulated in a silica matrix by the following procedure:

1.2g  $\beta$ -Carotene was dissolved in 31.8g TEOS. The procedure was similar to that described above. The obtained product was washed, isolated and freeze dried to give a strong orange colored fine silica powder. The powder can be easily suspended in hydrophilic phases like water, milk, yogurt, etc, affording a colored suspension. Heating of an aqueous suspension containing the encapsulated carotene to 90°C for 10 minutes does not alter the color of the solution.

Table 1: SPF values of formulations containing sunscreen-loaded oxide particles obtained by the process of the present invention (concentrations are given in wt.%).

	A (Example 1)	B (Example 3)	C (Example 4)
water	77.7	76.0	41.6
Squalane			5.0
Squalene	5.0	5.0	
Glyceryl stearate & PEG-100 stearate	5.0	5.0	5.0
Cetyl alcohol	2.0	1.0	2.5
Methyl parabene	0.1	0.2	0.2
Propyl parabene	0.1	0.1	0.1
Na <sub>2</sub> EDTA			0.05
Imidazolidinyl urea			0.5
Methylchloroisothiazolinone & Methylchlorothiazolinone & Benzyl alcohol			0.05
Silica powder	10.0	15.0	
Silica suspension			48.4
OMC in final formulation	6.8	8.25	
BP in final formulation		1.5	
BMDBM in final formulation			5.1
HMS in final formulation			10
In vitro SPF	13.3	28.8 (5.7 UVA factor)	5.9 (5.0 UVA factor)

#### EXAMPLE 9 – Lycopene in TEOS

Lycopene, a widely used natural food colorant, has been encapsulated in a silica matrix by the following procedure:

1.2g Lycopene (extract from tomatoes) was dissolved in 31.8g TEOS. The procedure was similar to that described above. The obtained product was washed, isolated and freeze dried to give a bright red colored fine silica powder. The powder can be easily suspended in hydrophilic phases like water, milk, yogurt, etc, affording a colored suspension.

#### EXAMPLE 10 – Pyrinex in TEOS

O,O-diethyl O-3,5,6,-trichloro-2-pyridyl phosphorothioate (Pyrinex, Machteshim-Agan), a widely used pesticide, has been encapsulated in a silica matrix by the following procedure:

16.5g Pyrinex was dissolved in 49.5g TEOS. The procedure was similar to that described above. The obtained product was washed, re-suspended in water or isolated and freeze dried to give a fine silica powder.

The particle size distribution of the product, as measured in a 1% sodium dodecyl sulfate aqueous solution, was between 1 to 15 microns.



## CLAIMS

- 1) A process for preparing sol-gel microcapsules loaded with up to 95 / (w/w) functional molecules or substances, comprising the following steps;
  - a) emulsifying nonaqueous, water insoluble solution comprising sol-gel precursors, the functional molecules or substances to be loaded in an aqueous solution, under shear forces and with surfactants;
  - b) mixing and stirring the emulsion obtained in step (a) with an acidic, neutral or basic aqueous solution to obtain loaded sol-gel microcapsules in a suspension.
- 2) A process according to claim 1 wherein the pH of the aqueous solution of step (b) is in the rang of 8-13.
- 3) A process according to claim 1 wherein the mixture of step (b) is heated or cooled, subject to vacuum or pressure, or kept under inert gas atmosphere, subject to changes in pH and with an optional aging period of up to 14 days.
- 4) A process according to claim 1 wherein the hydrophobic solution in step (a) and the aqueous solution in step (b) contain additional surfactants or any additives to improve the product.
- 5) A process according to claim 1 further comprising a step of isolating and rinsing the microcapsules through cycles of separation by centrifuge or by filtration and re-suspension in water, or by evaporation and re-suspension in water or by dialysis or by any other conventional means known in the art.

- 6) A process according to claim 5 wherein the suspension so obtained is stabilized by adding additives such as non-ionic, cationic or anionic polymers, or any other suitable suspension obtaining the final product in a suspension form.
- 7) A process according to any of the preceding claims 5 further comprising removing the water by any conventional means to obtain the final product in a powder form.
- 8) A process according to claim 7 further comprising adding reconstitution additives selected from non-ionic, cationic or anionic surfactants or polymers.
- 9) A process according to claim 1 wherein the sol-gel precursors are metal or semi-metal alkoxide monomers, or metal ester monomers, or semi-metal ester monomers or monomers of the formula  $M(R)_n(P)_m$ , wherein M is a metallic or semi metallic element, R is a hydrolyzable substituent, n is an integer from 2 to 6, P is a non polymerizable substituent and m is an integer from 0 to 6, or partially hydrolyzed and partially condensed polymer thereof, or any mixture thereof.
- 10) A process according to claim 1 wherein the sol-gel precursors are silicon alkoxide monomers, or silicon ester monomers, or monomers of the formula  $Si(R)_n(P)_m$ , where R is a hydrolyzable substituent, n is an integer from 2 to 4, P is a non polymerizable substituent and m is an integer from 0 to 4, or partially hydrolyzed and partially condensed polymer thereof, or any mixture thereof.
- 11) A process according to claim 1 wherein the sol-gel precursors are titanium alkoxide monomers, or titanium ester monomers, or monomers of the formula  $Ti(R)_n(P)_m$ , where R is a hydrolyzable substituent, n is an

integer from 2 to 6, P is a non polymerizable substituent and m is an integer from 0 to 6, or partially hydrolyzed and partially condensed polymer thereof, or any mixture thereof.

- 12) A process according to claim 1 wherein the sol-gel precursors are zinc or zirconium alkoxide monomers, or zinc or zirconium ester monomers, or monomers of the formula  $Zn(R)_n(P)_m$  or  $Zr(R)_n(P)_m$ , where R is a hydrolyzable substituent, n is an integer from 2 to 6, P is a non polymerizable substituent and m is an integer from 0 to 6, or partially hydrolyzed and partially condensed polymer thereof, or any mixture thereof.
- 13) A process according to claim 1 wherein several sol-gel precursor are used together in a mixture, including a mixture of several metals or semi metal compounds, to afford a sol-gel material which is a composite containing different metal and/or semi metal elements in the final product.
- 14) A process according to any of the preceding claims wherein the surface charge of the products is modified by adding anionic or cationic surfactants or polymers during any step of the process.
- 15) A process according to claim 1 wherein the functional molecules are ultra-violet absorbing molecules or ultra-violet reflecting substances to be used in sunscreens.
- 16) A process according to claim 15 wherein the ultra-violet absorbing molecules are selected from the group consisting of 2-ethylhexyl p-methoxycinnamate, p-aminobenzoic acid, 2-ethylhexyl N,N-dimethyl-p-aminobenzoate, 2-cyano-3,3-diphenylacrylic acid 2-ethylhexyl ester (octocrylene), oxybenzone,

2-phenylbenzimidazole-5-sulfonic acid, homomenthyl salicylate, octyl salicylate, 4,4'-methoxy-t-butyl dibenzoylmethane, 4-isopropyl dibenzoylmethane, 3-(4-methylbenzylidene) camphor, 3-benzylidene camphor, triethanolamine salicylate, 4-N,N-(2-ethylhexyl)methyl aminobenzoic acid ester of 2,4-dihydroxybenzophenone, 4-N,N-(2-ethylhexyl)methyl aminobenzoic acid ester of 4-hydroxydibenzoylmethane, 4-N,N-(2-ethylhexyl)methyl-aminobenzoic acid ester of 2-hydroxy-4-(2-hydroxyethoxy)-benzophenone, 4-N,N-(2-ethylhexyl)methyl aminobenzoic acid ester of 4-(2-hydroxyethoxy)dibenzoylmethane and a mixture thereof.

- 17) A process according to claim 1 wherein the functional molecules or substances are selected from fragrances, perfume, colors and dyes, food colors and food additives, antioxidants, humidifiers, vitamins, explosives, insecticides, herbicides and fungicides, or biological molecules such as enzymes or antibodies, as well as various drugs, catalysts and reagents.
- 18) A process according to claim 1 wherein the functional molecules are natural food colors or synthetic food colors or food additives used in food products or oral drugs.
- 19) A process according to claim 1 wherein the functional molecules are natural food colours or synthetic food colours used in cosmetic colours and skin applications.
- 20) A process according to claim 1 wherein the functional molecules are insecticides, herbicides or fungicides used in agriculture or industry.
- 21) The products obtained by the process according to any of the preceding claims.

- 22) The products obtained by the process according to any of the preceding claims in a suspension form.
- 23) The products obtained by the process according to preceding claims in a powder form.
- 24) Products according to claim 21 to 23 wherein the powder particles or the suspended particles are of 0.01 - 100 $\mu$ .
- 25) Products according to claims 21 to 23 wherein the powder or the suspension consists of 0.1-10 $\mu$  spherical particles, has smooth texture, and is transparent when suspended in cosmetic or skin care formulations and applied to skin.
- 26) Products according to claims 21 to 25 wherein the leaching of the loaded molecules into cosmetic oils or into surfactant-containing aqueous solution is less than 5%, preferably less than 2%, after vigorous shaking.



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>7</sup> :</b> <b>A61K 9/14, 9/50</b>	<b>A3</b>	<b>(11) International Publication Number:</b> <b>WO 00/09652</b> <b>(43) International Publication Date:</b> 24 February 2000 (24.02.00)
<b>(21) International Application Number:</b> PCT/IB99/01416 <b>(22) International Filing Date:</b> 11 August 1999 (11.08.99) <b>(30) Priority Data:</b> 60/097,552                      13 August 1998 (13.08.98)                      US 09/372,176                      11 August 1999 (11.08.99)                      US <b>(71) Applicant (for all designated States except US):</b> SOL-GEL TECHNOLOGIES LTD. [IL/IL]; Beit Hillel 5, 67017 Tel Aviv (IL). <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> MAGDASSI, Shlomo [IL/IL]; Hanerd 36, 96626 Jerusalem (IL). AVNIR, David [IL/IL]; Novomieski 2, 96908 Jerusalem (IL). SERI-LEVY, Alon [IL/IL]; Paldi 6/11, 76248 Rehovot (IL). LAPIDOT, Noa [IL/IL]; Hakramim 4, Mevasseret, 90805 Zion (IL). ROTTMAN, Claudio [IL/IL]; Netiv Hamazalot 41/5, 97830 Jerusalem (IL). SOREK, Yoram [IL/IL]; Kodshei Mitstraim 3/18, 56282 Yahud (IL). GANS, Orit [IL/IL]; Elkana, M.P., 44814 Efraim (IL). <b>(74) Agent:</b> NOAM, Meir, P.O. Box 34335, 91342 Jerusalem (IL).		<b>(81) Designated States:</b> AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). <b>Published</b> <i>With international search report.</i> <b>(88) Date of publication of the international search report:</b> 8 June 2000 (08.06.00)
<b>(54) Title:</b> METHOD FOR THE PREPARATION OF OXIDE MICROCAPSULES LOADED WITH FUNCTIONAL MOLECULES AND THE PRODUCTS OBTAINED THEREOF <b>(57) Abstract</b> <p>The present invention relates to a novel process for preparing sol-gel microcapsules loaded with up to 95 % (w/w) functional molecules or substances and to the products obtained by said process. Said process is conducted in two steps: (a) creating an oil-in-water emulsion by emulsification of a water insoluble solution comprising the sol-gel precursors and the molecules to be loaded, in an aqueous solution under appropriate shear forces; (b) mixing and stirring said emulsion with an aqueous solution at a suitably selected pH to obtain loaded sol-gel microcapsules in suspension. The microcapsules so obtained can further be subjected to cycles of isolation and rinsing. Incorporation of the final product, either in the form of a suspension or a powder, in cosmetic formulations affords a transparent cream when applying to skin and has a smooth and pleasant contact.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB99/01416

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(7) :A61K 9/14, 9/50

US CL :264/4.1, 4.3; 424/489; 428/402.2, 402.24

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 264/4.1, 4.3; 424/489; 428/402.2, 402.24

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

Please See Extra Sheet.

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4,349,456 A (SOWMAN) 14 September 1982, see entire document.	1-6, 9-13, 15-20
Y	US 5,670,209 A (WYCKOFF) 23 September 1997, see entire document.	1-6, 9-13, 15-20
Y	US 4,988,744 A (YAMAMOTO) 29 January 1991, see entire document.	1-6, 9-13, 15-20
Y	US 5,292,801 A (ANVIR et al) 08 March 1994, see entire document.	1-6, 9-13, 15-20
Y, P	US 5,895,757 A (POPE) 20 April 1999, see entire document.	1-6, 9-13, 15-20



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*G* document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

04 FEBRUARY 2000

Date of mailing of the international search report

28 FEB 2000

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

JAMES M. SPEAR

Telephone No. (703) 308-1235



# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/IB99/01416

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:  
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☒ Claims Nos.: 7, 8, 14 and 21-26  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.  
☐ No protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet(1))(July 1992)\*

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB99/01416

## B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

### WEST

search terms: sol, gel, microcapsule, emulsion, silane, tetramethoxy silane, tetraethoxy silane, sunscreen, cosmetic, methyltriethoxysiloxane, silicon alkoxide monomer, titanium alkoxide monomer